## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Sources							
Supplier's name or trade mark: PROVERO							
Supplier's address: -							
Model identifier: ID-2222							
Type of light so	urce:						
Lighting technol	ogy used:	LED	Non-directional or directional:	NDLS			
Light source cap-type		-					
(or other electri	c interface)						
Mains or non-mains:		NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:		No	Envelope:	-			
High luminance light source:		No					
Anti-glare shield:		No	Dimmable:	Only with specific dimmers			
Product parameters							
Parameter		Value	Parameter	Value			
General product parameters:							
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		7	Energy efficiency class	E			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		860 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 420			
On-mode power (P <sub>on</sub> ), expressed in W		7,2	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00			
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	83			
Outer dimensions	Height	1 000	Spectral power distribution in the	See image in last page			
difficitions	Width	8	aistribution in the	iii iast bage			

without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	2	range 250 nm to 800 nm, at full-load			
Claim of equivalent power <sup>(a)</sup>		-	If yes, equivalent power (W)	-		
			Chromaticity	0,364		
			coordinates (x and y)	0,369		
Parameters for LED and OLED light sources:						
R9 colour rendering index value		83	Survival factor	1,00		
the lumen maintenance factor		0,97				

(a)'-': not applicable;

(b)'-': not applicable;

## Spectrum Test Report

